Handle State of the state of th

20

21

22

prescribing a second upper body routine for the person to perform; and

prescribing a fourth aerobic routine for the person to perform.

The method of claim 3, wherein the fitness program is prescribed with a sequence 1 4. 2 of said first aerobic routine, said set of standing knee to opposite chest, said set of L-3 kicks, said second aerobic routine, said first upper body routine, said third aerobic routine, said first abdominal routine, said second upper body routine, and said fourth 4 5 aerobic routine. 6 7 The method of claim 2, further comprising the step of: 5. 8 for a person with a body classified into said second body type; 9 prescribing a first and second set of standing knee to opposite chest for the person 10 to perform; 11 11 prescribing a set of push-ups for the person to perform; and 12 prescribing a third aerobic routine for the person to perform. J13 14 6. The method of claim 5, wherein the fitness program is prescribed with a sequence of said first set of standing knee to opposite chest, said set of push-ups, said first aerobic routine, said first upper body routine, said second aerobic routine, said first abdominal 17 routine, said second set of standing knee to opposite chest, and said third aerobic routine. 18 19 7. The method of claim 2, further comprising the step of: 20 for a person with a body classified into said third body type; 21 prescribing a second abdominal routine for the person to perform;

prescribing a first and second set of march in place on toes for the person to

22

23

perform;

prescribing a first and second set of side benders for the person to perform; and prescribing a first and second set of deadlifts for the person to perform.

The method of claim 7, wherein the fitness program is prescribed with a sequence

on toes, said first set of side benders, said first set of deadlifts, said first upper body

of said first abdominal routine, said first aerobic routine, said first set of march in place

routine, said second aerobic routine, said second set of march in place on toes, said

second set of side benders, said second abdominal routine, and said second set of

9 deadlifts.

5

7

8

10

<u>.0</u> 11

112

13 13

14

15

16

9. The method of claim 2, further comprising the step of:

for a person with a body classified into said fourth body type;

prescribing a first set of deadlifts for the person to perform;

prescribing a first and second set of side benders for the person to perform;

prescribing a second abdominal routine for the person to perform;

prescribing a first set and second set of march in place on toes for the person to

perform; and

prescribing a second upper body routine for the person to perform.

19

20

21

22

23

17

18

10. The method of claim 9, wherein the fitness program is prescribed with the sequence of said first aerobic routine, said first upper body routine, said first set of deadlifts, said first set of side benders, said first abdominal routine, said second aerobic

routine, said first set of march in place on toes, said second upper body routine, said

- second first set of march in place on toes, said second abdominal routine, and said second set of side benders.
- 4 11. The method of claim 1, further comprising the steps of:
- 5 establishing a plurality of fitness levels for each of said plurality of body types;
- 6 classifying the body of the person into one of said plurality of fitness levels;
- 7 and wherein the steps of prescribing said first and said second aerobic routine, said upper
- 8 body routine, and said abdominal routine are based on said classification of the body of
- 9 the person into one of said plurality of fitness levels.
- The method of claim 1, wherein the step of prescribing an upper body routine includes prescribing the exercises of push-outs, behind-the-neck presses, front presses, upright rows, bicep curls, and tricep kickbacks; and the step of prescribing an abdominal routine includes prescribing the exercises of sit-ups, leg-outs, elbows to knees, and knees to elbows; and wherein the resistance level of said prescribed exercises is based on the body type
 - 19 13. The method of claim 1, wherein the step of prescribing the steps of prescribing a
 - 20 first and second aerobic routine includes prescribing one of the exercises from the group
 - 21 of biking and walking; and

classification of the person

10

17

18

- 22 wherein the resistance level of said prescribed aerobic routine is based on the body type
- 23 classification of the person.

identifying the proportion of aerobic versus anaerobic exercise the person should employ based, at least in part, on the fitness level classification of the body;

112

113

¹ 14

17

18

19

20

21

22

16. The method of claim 15, further comprising the step of identifying an aerobic exercise that the person should not employ according to the body type classification of the person.

17. The method of claim 15, further comprising the step of prescribing a resistance level for the prescribed aerobic exercise based, at least in part, on the body type classification of the person.

1 18. The method of claim 15, further comprising the step of prescribing a speed range 2 level for the prescribed aerobic exercise based, at least in part, on the fitness level 3 classification of the person. 4 5 19. A method for prescribing a fitness program for a person comprising the steps of: 6 establishing a plurality of body types; 7 classifying the body of the person into one of said plurality of body types; 8 based on the body type classification of the person, 9 prescribing a first aerobic routine for the person to perform comprising at least 10 one of the exercises selected from the group of biking, walking, elliptical trainer, **4)11** and stepper; 112 prescribing a first upper body routine for the person to perform comprising the [□]13 exercises of push-outs, behind-the-neck presses, front presses, upright rows, bicep curls, and tricep kickbacks; prescribing a second aerobic routine for the person to perform comprising at least [] []16 one of the exercises selected from the group of biking, walking, elliptical trainer, 17 and stepper; 18 prescribing a first abdominal routine for the person to perform comprising the 19 exercises of sit-ups, leg-outs, elbows to knees, and knees to elbows; and 20

1

21

22

23 20. The method of claim 19, further comprising the steps of:

the body type classification of the person.

wherein the resistance level of the prescribed aerobic exercise is based, at least in part, on

establishing a plurality of fitness levels for each of said plurality of body types;

2 classifying the body of the person into one of said plurality of fitness levels; and

3 prescribing a speed range for the prescribed aerobic exercise based, at least in part, on the

4 fitness level classification of the person.

5

6

8

9

[**]** 10

10 11

13

16

17

18

19

20

 21. A fitness method for a person having a particular body type classification, said

7 fitness method comprising the steps of:

performing a first aerobic routine with the resistance level based, at least in part, on the body type classification of the person and comprising at least one of the exercises selected from the group of biking, walking, elliptical trainer, and stepper;

performing a first upper body routine comprising the exercises of push-outs, behind-the-neck presses, front presses, upright rows, bicep curls, and tricep kickbacks;

performing a second aerobic routine with the resistance level based, at least in part, on the body type classification of the person and comprising at least one of the exercises selected from the group of biking, walking, elliptical trainer, and stepper; and

performing a first abdominal routine comprising the exercises of sit-ups, leg-outs, elbows to knees, and knees to elbows.

21

22

22. A fitness method for a person having a particular body type classification, said

23 fitness method comprising the steps of:

1		performing a first aerobic routine;
2		performing a first upper body routine;
3		performing a second aerobic routine; and
4		performing a first abdominal routine.
5		
6	23.	The fitness method of claim 22, further comprising the steps of:
7		performing a third aerobic routine;
8		performing a set of standing knee to opposite chest;
9	•	performing a set of L-kicks;
10		performing a second upper body routine; and
11		performing a fourth aerobic routine.
12		
13	24.	The method of claim 23, wherein the fitness method is performed with a sequence
14	of said	first aerobic routine, said set of standing knee to opposite chest, said set of L-
.15	kicks, s	said second aerobic routine, said first upper body routine, said third aerobic
16	routine, said first abdominal routine, said second upper body routine, and said fourth	
17	aerobio	routine.
18		
19	25.	The fitness method of claim 22, further comprising the steps of:
20		performing a first and second set of standing knee to opposite chest;
21		performing a set of push-ups; and
22		performing a third aerobic routine.
23		

1	26.	The method of claim 25, wherein the fitness method is performed with a sequence
2	of said first set of standing knee to opposite chest, said set of push-ups, said first aerobic	
3	routine, said first upper body routine, said second aerobic routine, said first abdominal	
4	routin	e, said second set of standing knee to opposite chest, and said third aerobic routine.
5		
6	27.	The method of claim 22, further comprising the steps of:
7		performing a second abdominal routine;
8		performing a first and second set of march in place on toes;
9		performing a first and second set of side benders; and
10		performing a first and second set of deadlifts.
[] []11		
10 11 12 13	28.	The method of claim 27, wherein the fitness method is performed with a sequence
13	of said	d first abdominal routine, said first aerobic routine, said first set of march in place
	on toes, said first set of side benders, said first set of deadlifts, said first upper body	
14 15	routine, said second aerobic routine, said second set of march in place on toes, said	
116	second set of side benders, said second abdominal routine, and said second set of	
17	deadlifts.	
18		
19	29.	The method of claim 22, further comprising the step of:
20		performing a first set of deadlifts;
21		performing a first and second set of side benders;
22		performing a second abdominal routine;
23		performing a first set and second set of march in place on toes; and

performing a second upper body routine. 1 2 3 30. The method of claim 29, wherein the fitness method is performed with a sequence 4 of said first aerobic routine, said first upper body routine, said first set of deadlifts, said 5 first set of side benders, said first abdominal routine, said second aerobic routine, said 6 first set of march in place on toes, said second upper body routine, said second first set of march in place on toes, said second abdominal routine, and said second set of side 7 8 benders. 9 10 31. The fitness method of claim 22, wherein the resistance level of the exercise Q 11 routines performed is based, at least in part, on the body type classification of the person. 12 13 32. The fitness method of claim 22 wherein the steps of performing said first and 14 | 15 second aerobic routines include exercises from the group of biking and walking; and wherein the resistance level of said exercise performed during said first and second 13 16 aerobic routines is based, at least in part, on the body type classification of the person. 17 18